STATEMENT OF WORK (SOW)

for the

Inspect and Repair Only As Necessary (IROAN)

FIREFINDER RADAR SYSTEM, AN/TPQ-46A

NSN 5840-01-450-6708

SOW-05-PMM112-08211D-2/1

STATEMENT OF WORK FOR THE IROAN of the Firefinder Radar System AN/TPQ-46A NSN 5840-01-450-6708

TABLE OF CONTENTS

Paragraph	Title	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	3
3.0	Requirements	3
3.1	General Tasks	3
3.2	Detail Tasks	3
3.2.1	Phase I - Pre-Induction	3
3.2.1.1	AN/TPQ 46 System Pre-induction	4
3.2.1.2	M1097A1 HMMWV Pre-induction	4
3.2.1.3	M1038 and M998 HMMWV Pre-induction	4
3.2.1.4	Shelter Pre-induction	4
3.2.1.5	Antenna Transceiver Group Pre-induction	4
3.2.1.6	Generator Trailer Group Pre-induction	4
3.2.1.7	Equipment Set, Trailer Pre-induction	5
3.2.2	Phase II - Repair	5
3.2.2.1	M1097A1 HMMWV Repair	5
3.2.2.2	M1038 and M998 HMMWV Repair	5
3.2.2.3	M1038 and M998 Replacement	6
3.2.2.4	Shelter Repair	6
3.2.2.5	Antenna Transceiver Group Repair	7
3.2.2.6	Generator Trailer Group Repair	7
3.2.2.7	Equipment Set, Trailer Mounted Repair	7
3.2.3	Phase III - Inspection, Testing and Acceptance	8
3.2.4	Phase IV - Packaging, Handling, Storage and Transportation (PHS & T)	8
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)	9
3.4	Contractor Furnished Materiel (CFM)	9
3.5	Electrostatic Discharge (ESD) Control Program	9
3.6	Quality Assurance Provisions	9
3.7	Acceptance	9
3.8	Rejection	9
3.9	Configuration Control	9
4.0	Reports	10
4.1	Induction Checklist	10

SOW-05-PMM112-08211D-2/1 4.2 Repairable Item Inspection Report 4.3 Monthly Progress Report Appendix	27 September 2002			
4.2	Repairable Item Inspection Report	10		
4.3	Monthly Progress Report	10		
Appendi	x			
Α	DA Form 2404 (1 Apr 79)	A-1		
В	Standard Form 364 (Rev. 2-80)	B-2		

STATEMENT OF WORK FOR THE IROAN of the Firefinder Radar System AN/TPQ-46A NSN 5840-01-450-6708

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor in the IROAN of the Firefinder Radar System AN/TPQ-46A, NSN 5840-01-450-6708, ID# 08211D, TAMCN A14407G; hereafter referred to as the Firefinder Radar. The Firefinder Radar major system components to be IROANED are; one OY-112A/TPQ Antenna Transceiver Group (ATG), two OV-103/U Generator Trailer Groups (GTG), one AN/TSQ-217 Equipment Set Trailer Mounted, one OK-650A/TPQ Operations Control Group (OCG), four High Mobility Multi-purpose Wheeled Vehicles (HMMWV). This document contains requirements to restore the Firefinder Radar to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "that maintenance technique which determines the minimum repairs necessary to restore equipment, components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

MIL-STD-3003 Vehicles, Wheeled; Preparation for Shipment and Storage of

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

SL-3-08211D Components List for Radar Set, Firefinder

SL-3-10441A Components List for Generator Trailer Group

97010A0000, CAGE 01365	Tech Data Pkg. for Firefinder System
DMWR-11-5840-354	Depot Maintenance Work Requirements for the Antenna Transceiver Group
SOW-01-835-1-09058C-1/1	SOW for M116A3 Trailer
SOW-01-835-2-08770A-2/1	SOW for HMMWV IROAN
MI-08211B-50/6	Modifications to Radar (V) 7
MI-08211B-50/7	Modifications to Radar (V) 8
TM-10-5411-224-14	Operator's, Unit, Direct Support & General Maintenance for Lightweight Multipurpose Shelters Model No. S-788/G Type III
TM-11-5840-380-10	Operators Manual Radar Set AN/TPQ-36(V)8
TM-11-5840-380-23-1	Unit and Direct Support Maintenance Manual (Functional Description and Maintenance Instructions) Radar Set AN/TPQ-36 (V)8
TM-11-5840-380-23-2	Unit and Direct Support Maintenance Manual (Extended Troubleshooting and Wire Lists) Radar Set AN/TPQ-36 (V)8
TM-11-5840-380-23P	Unit and Direct Support Repair Parts List OK-398(v)5/TPQ Operations Central and Equipment Trailer Group
DMS-584-380	Depot Maintenance Study
DoD 4000.25-1-M	Military Standard Requisitioning and Issue Procedures (MILSTRIP)
PPP-G-2919	Generator Sets, Mobile Electric Power and Supplemental Equipment, Packaging of

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems – Requirements

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil." Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6753 or DSN 567-6753. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 Requirements

- 3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test the Firefinder Radar weapon system. Upon completion of repair, the subject item shall be Condition Code "A".
- 3.2 <u>Detail Tasks</u>: The following tasks describe the different phases for repair of the Firefinder Radar weapon system.

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation

3.2.1 Phase I Pre-Induction: Upon induction of the Firefinder Radar into the contractor's facility, the system shall be broken down into components, including separating the Operations Control Group (OCG) Shelter OK-650A/TPQ from the HMMWV. All systems shall be evaluated for repair capability.

- 3.2.1.1 AN/TPQ-46A System Pre-Induction Inspection and Inventory: Upon receipt of the Firefinder Radar System an inspection/inventory shall be completed per the SL-3-08211D, SL-3-10441A and Tech Data Package 97010A0000, CAGE 01365, to determine any missing components or collateral gear. Any discrepancies shall be reported to the item manager, John Drake at DSN 567-6721, on a report of discrepancy form SF 364 within five days of receipt.
- 3.2.1.2 M1097A1 HMMWV Pre-Induction: The HMMWV pre-induction process for the M1097A1's shall consist of a limited technical inspection (LTI) in accordance with SOW-01-835-2-08770A-2/1, paragraph 3.2.1. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist: Marine Corps Systems Command, Attn: Code BMADS, 814 Radford Blvd., STE 20343, Albany, GA 31704-0343 along with a copy of the LTI in accordance with section 4.0 of this SOW.
- 3.2.1.3 M1038 and M998 HMMWV Pre-Induction: The possibility exists that some replacement HMMWV's may be available at the time of induction for the M1038 and the M998. Upon receipt, and prior to induction, contact the item manager, John Drake at DSN 567-6721, to check on availability of replacement vehicles. If replacements are available proceed to paragraph 3.2.2.3 of this SOW. If no replacement vehicle is available proceed to the pre-induction process for the M1038 and the M998 in accordance with SOW-01-835-2-08770A-2/1. A pre-induction LTI inspection shall be performed for each HMMWV for evaluation of repair requirements. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist along with a copy of the LTI in accordance with section 4.0 of this SOW.
- 3.2.1.4 <u>Shelter Pre-Induction</u>: A pre-induction LTI inspection shall be performed for each OCG Shelter for evaluation of repair requirements. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist along with a copy of the LTI in accordance with section 4.0 of this SOW.
- 3.2.1.5 <u>Antenna Transceiver Group (ATG) Pre-Induction</u>: A pre-induction LTI inspection on the Antenna Assembly shall be performed in accordance with DMWR-11-5840-354 for each ATG for evaluation of repair requirements. A separate LTI for the trailer portion of the ATG shall be performed to determine the maintenance requirements for the trailer. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist along with a copy of the LTI in accordance with section 4.0 of this SOW.
- 3.2.1.6 Generator Trailer Group (GTG) Pre-Induction: A pre-induction LTI inspection shall be performed for each of the two GTGs for evaluation of repair requirements. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist along with a copy of the LTI in accordance with section 4.0 of this SOW.

- 3.2.1.7 Equipment Set, Trailer Mounted Pre-Induction: A pre-induction LTI inspection shall be performed for the Equipment Trailer Group for evaluation of repair requirements. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the Logistics Management Specialist along with a copy of the LTI in accordance with section 4.0 of this SOW.
- 3.2.2 Phase II Repair: After pre-induction tests and inspections have been completed, repair of the Firefinder Radar weapon system shall be accomplished as five separate items, HMMWV vehicles (four per system), Operations Control Group Shelter (one per system), Antenna Transceiver Group (one per system), Generator Trailer Group (two per system), and Equipment Set, Trailer Mounted (one per system). Upon completion of the repair work the Firefinder Radar components shall be reconfigured as a system. The following Standards and Publications shall be used to assist the Contractor in restoring the Firefinder Radar System to condition code "A":

SL-3-08211D

Components List for Radar Set, Firefinder

97010A0000, CAGE 01365

Tech Data Pkg. for Firefinder System

3.2.2.1 M1097A1 HMMWV Repair: The vehicle shall have all discrepancies identified in the pre-induction LTI corrected using the Phase II - IROAN paragraph of SOW-01-835-2-08770A-2/1. Any modifications peculiar to the Firefinder Radar that are removed during the IROAN process shall be reinstalled. The following Standards and Publications shall be used to assist the Contractor in restoring the HMMWV's to condition code "A" in their correct Firefinder configuration:

SOW-01-835-2-08770A-2/1

SOW for HMMWV IROAN

DMWR-11-5840-354

Depot Maintenance Work Requirements for the

Antenna Transceiver Group

MI-08211B-50/6

Modifications to Radar (v) 7

MI-08211B-50/7

Modifications to Radar (V) 8

97010A0000, CAGE 01365

Tech Data Pkg. for Firefinder System

3.2.2.2 M1038 and M998 HMMWV Repair: Note: The work identified in this paragraph is only authorized if the M1038 and M998 HMMWV's are not replaced by the item manager with new vehicles. The vehicle shall be processed in accordance with the Phase II - IROAN paragraph of SOW-01-835-2-08770A-2/1. Any modifications peculiar to the Firefinder Radar that are removed during the IROAN process shall be reinstalled as part of this SOW. The following Standards and Publications shall be used to assist the Contractor in restoring the HMMWV's to condition code "A" in their correct Firefinder configuration:

SOW-01-835-08770A-2/1

SOW for HMMWV IROAN

MI-08211B-50/6

Modifications to Radar (v) 7

MI-08211B-50/7

Modifications to Radar (V) 8

3.2.2.3 M1038 and M998 HMMWV Replacement: Note: The work in this paragraph is only authorized if replacement vehicles are available for the M1038 and M998 HMMWV's. The contractor shall remove all modifications previously applied to the turned-in HMMWV's. Upon removal the components shall be inspected and returned to condition code "A". The contractor shall apply the modifications to the new vehicles thereby bringing the configuration of the new vehicles up to the approved Firefinder System technical data package. The following Standards and Publications shall be used to assist the Contractor in restoring the HMMWV's to condition code "A" in their correct Firefinder configuration:

MI-08211B-50/6

Modifications to Radar (v) 7

MI-08211B-50/7

Modifications to Radar (v) 8

3.2.2.4 <u>Shelter Repair</u>: Deficiencies noted on the Pre-Induction LTI shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair. The following Standards and Publications shall be used to assist the Contractor in restoring the OCG to condition code "A":

TM-10-5411-224-14	Operator's Unit, Direct Support & General Maintenance for Lightweight Multipurpose Shelters Model No. S-788/G Type III
TM-11-5840-380-10	Operators Manual Radar Set AN/TPQ-36(V)8
TM-11-5840-380-23-1	Unit and Direct Support Maintenance Manual (Functional Description and Maintenance Instructions) Radar Set AN/TPQ-36 (V)8
TM-11-5840-380-23-2	Unit and Direct Support Maintenance Manual (Extended Troubleshooting and Wire Lists) Radar Set AN/TPQ-36 (V)8
TM-11-5840-380-23P	Unit and Direct Support Repair Parts List OK-398(v)5/TPQ Operations Central and Equipment Trailer Group
DMS-584-380	Depot Maintenance Study

Deficiencies noted on the Pre-Induction Checklist shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

3.2.2.5 Antenna Transceiver Group Repair: Deficiencies noted on the Pre-Induction LTI for the Antenna shall be repaired/replaced to include painting and electrical/mechanical alignment with the exception of near field probe and tower track alignment. If the inspection indicates a need for near field probe or tower track alignment, the Logistics Management Specialist shall be contacted. The contractor shall also contact the Logistics Management Specialist prior to proceeding with any antenna array repairs.

The M116A3 trailers shall be brought to condition code "A" by repairing or replacing those items identified on the pre-induction inspection. In addition to the discrepancies noted, all rubber goods and hydraulic brake components shall be mandatory replacements. SOW-01-835-1-09058C-1/1 shall be used as a guide. The trailer shall be steam cleaned, undercoated and painted.

Components or assemblies shall not be disassembled for replacement of parts unless that part has failed or the component assembly wherein the part is located is disassembled for repair. The following Standards and Publications shall be used to assist the Contractor in restoring the Antenna Transceiver Group to condition code "A":

DMWR-11-5840-354 Depot Maintenance Work Requirements for the

Antenna Transceiver Group

SOW-01-835-1-09058C-1/1 Statement of Work for M116A3 Trailer

MI-08211B-50/6 Modifications to Radar (v) 7

MI-08211B-50/7 Modifications to Radar (V) 8

3.2.2.6 Generator Trailer Group Repair: The Generator Trailer Group including the M116A3 trailers shall be brought to condition code "A" by repairing or replacing those items identified on the pre-induction inspection. In addition to the discrepancies noted, all rubber goods and hydraulic brake components shall be mandatory replacements. SOW-01-835-1-09058C-1/1 shall be used as a guide. The trailer shall be steam cleaned, undercoated and painted. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed or the component assembly wherein the part is located is disassembled for repair. The following Standards and Publications shall be used to assist the Contractor in restoring the Generator Trailer Group to condition code "A":

SOW-01-835-1-09058C-1/1 SOW for M116A3 Trailer

SL-3-10441A Components List for Generator Trailer Group

3.2.2.7 Equipment Set, Trailer Mounted Repair: The Equipment Set, Trailer Mounted including the M116A3 trailers shall be brought to condition code "A" by repairing or replacing those items identified on the pre-induction inspection. In addition to the discrepancies noted, all rubber goods and hydraulic brake components shall be mandatory replacements. SOW-01-835-

1-09058C-1/1 shall be used as a guide. The trailer shall be steam cleaned, undercoated and painted.

Components or assemblies shall not be disassembled for replacement of parts unless that part has failed or the component assembly wherein the part is located is disassembled for repair. The following Standards and Publications shall be used to assist the Contractor in restoring the Equipment Set, Trailer Mounted to condition code "A":

SOW-01-835-1-09058C-1/1

SOW for M116A3 Trailer

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing and Acceptance of the HMMWV shall be conducted in accordance with SOW-01-835-2-08770A-2/1.
- b. Inspection, Testing and Acceptance of the Antenna Transceiver Group shall be in accordance with DMWR-11-5840-354.
- c. Inspection, Testing and Acceptance of the trailers shall be in accordance with SOW-01-835-1-09058C-1/1.
- d. Inspection, Testing and Acceptance of the Operations Control Group and the Firefinder Radar as a "System" shall be in accordance with DMS-584-380.
- e. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. Marine Corps Systems Command (MCSC) (Code BMADS) representatives may require the Contractor to repeat tests, or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-3003 for Wheeled Vehicles, MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment, for the Antenna Group, Equipment Set and the Electrical Shelter, and PPP-G-2919 for the Generator Sets. Items scheduled for domestic shipment for immediate use or short-term storage shall be to the level "B" requirements, of their respective documents.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.

- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Material (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498.
- 3.4 <u>Contractor Furnished Materiel</u>. The contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government, MCSC (Code BMADS), reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.7 <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (MCSC, Code BMADS) representatives shall be permitted to observe the work or to conduct an inspection.
- 3.8 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCSC (Code BMADS), Albany, representative. The Contractor shall, at no additional cost to MCSC, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All

permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.

4.0 Reports: In fulfilling the specified requirements, the Contractor is required to submit reports via e-mail, unless otherwise specified to:

<u>dearinghc@mcsc.usmc.mil</u> Harvey Dearing - Logistics Management

Specialist

townsendda@mcsc.usmc.mil SSgt D. A. Townsend - Equipment Specialist

- 4.1 <u>Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection LTI for HMMWVs, OCGs, GTGs, ATGs and Equipment Sets, Trailer Mounted for each Firefinder Radar weapon system inducted. One hard copy of each document shall be provided to Marine Corps Systems Command, Attn: Code BMADS, 814 Radford Blvd., STE 20343, Albany, GA 31704-0343, after induction of the Firefinder Radar weapon system.
- **4.2** Repairable Item Inspection Report. The Contractor shall provide a Repairable Item Inspection Report for each Firefinder Radar weapon system to Marine Corps Systems Command, Attn: Code BMADS, 814 Radford Blvd., STE 20343, Albany, GA 31704-0343. The report shall be identified by United States Marine Corps Serial Number.
- 4.3 <u>Monthly Progress Reports:</u> The Contractor shall provide a Monthly Status Report to Marine Corps Systems Command, Attn: Code BMADS, 814 Radford Blvd., STE 20343, Albany, GA 31704-0343, summarizing the progress and status of the Firefinder Radar weapon system IROAN program. The reports shall be submitted by the 10th of each month.

··· ·· · · · · · · · · · · · · · · · ·		Eon was	n of this form so	DA DAM 729	750 00	1720 75	1. the proper	ent ocenov is DC	ei oc			
1. ORGANIZ	ATION	POT US	e or unis form, se	EDA PAIVI 730			CLATURE and N	ent agency is DC	зилі			
	ATION/SERIA	L/NSNi	4a. MILES	4b. HOURS	4c. ROUN	NDS	4d. HOT	5. DATE	6. TYPE	INSPECTION		
7.			.	APPLICAB	FIRE		STARTS	<u> </u>				
TM NUMBE	Rı		T	M DATE	as kila ait	TM NUM	BER		TM DATI	Ē		
		TM number.		-			JMN d - Show	w corrective actio	n for deficiency o	r shortcoming		
		••	lition status Sym	bol.		COLUMN e - Individual ascertaining completed corrective action initial						
COLUM	IN c – Ente	r deficiencies an	d shortcomings.	ST		in this column. SYMBOLS						
"X" - Ind	icates a def	iciency in the ec	uipment that pla					Indicates a mater	iel defect other th	an a deficiency		
inoperative		icicicy in the c	inibusent mat bu			which n		ted to increase eff	ficiency or to mak			
CIRCLE	D "X" - Ind	icated a deficien	cy, however, the	equipment ma	v be	Compice	cry sor viccuo	•				
operated ur	nder specifi	c limitations as o	directed by highe action can be acc	r authority or a				IAL IN BLACK, actory condition e		NK, OR PENCIL -		
HORIZONTAL DASH "(-)" - Indicates that a required inspection, component replacement, maintenance operation check, or test flight is due but has not been accomplished, or an overdue MWO has not been												
accomplish		INSPECTIONS	AND EOUIPMI	ENT CONDITI	ONS RE	CORDE	D ON THIS I	ORM HAVE BE	EN DETERMIN	ED		
				NOSTIC PRO	CEDURI	ES AND	STANDARD	S IN THE TM C	ITED HEREON.	_		
8a. SIGNATI	URE (Person(s) performing inspection	on)I	8b. TIME	9a. SIGN	ATURE (M	laintenance Super	visor)	9b. TIME	10. MANHOURS REQUIRED 1		
TM ITEM NO.	STATUS	DEF	CIENCIES AND SHO	ORTCOMINGS			COI	RRECTIVE ACTION		INITIAL WHEN CORRECTED		
<u>. a.</u>	b.		с.					<u>d</u>		е.		
										<u> </u>		
-				· ·		 						
				·····						<u>. </u>		
					·							
						ļ						
			· · ·					<u> </u>				
	1					ŀ				I		

DA PORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

Appendix (A)

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies
and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.
OR 19 1447 A CENTOTE OF THE FOLLOW IN 15 - 10 (0) (-)

CIVILIAN AGENCIES: See FPMR handboo	k cited in 19 (2)		•		•							
REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGI	NC			1. DAT	E OF PREPARATIO)N	2. REPORT NUMBER					
3. TO: (Name and Address, Include ZIP Code)	110			4. FROM: (Name and Address, Include ZIP Code)								
5a. SHIPPERS NAME				5b. NU	MBER AND DATE	OF INVOICE	5c. TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)					
7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc)	7b. OFFICE ADMI	NISTERING C	ONTRACT				8. REQUISITIONS ac.)	ER'S NUMBER (R	equistion, Pur	chase Request,		
						10.				T11.		
								NCY DATA TOTAL	1 1	111.		
NSN/PART NUMBER AND NOMENCLATURE		UNIT OF ISSUE	QUANTT SHIPPEI BILLEI	D/	QUANTITY RECEIVED	QUAN- TITY	UNIT PRICE	COST	CODE			
(a)		(b)	(c)		(d)	(a)	(b)	(c)	(d)	<u> </u>		
12. REMARKS (continue on separate sheet of paper if nece	essary)											
CONDITION OF MATERIAL	1. DISCREPA	PRODUCT (QUALITY DEF					2 ACTION				
C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Darraged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated		SHORTAGI S1 - Quant S2 - Quant S3 - Non-n ITEM TECI	E OF MATERIA ity less than that ity less than that receipt of parcel HNICAL DATA	AL ton rece trequest postship MARK	ed (Other than unit a oments INGS (Le., Name Pi	f issue pack)	1A - Disposition instructions requested (Reply on reverse) 1B - Material being retained (See Remarks) 1C - Supporting supply documentation requested 1D - Material still required, expedite shipment (Nor applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary					
D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document		T1 - Missir T2 - Illegib T3 - Precar T4 - Inspec T5 - Servic	ng ole or Mutilated uttionary operat ction data missin	are received within 15 days (Reply on reverse) (Not applicable to FMS) trational markings missing saing or incomplete ating data missing or incomplete 1G - Reshipment not required. Item to be re-re-					ot oplicable to			
O2 - Quantity in excess of that requested (Other than unit O3 - Quantity duplicate shipment PACKING DISCREPANCY	of issue pack)	WRONG IT above)		quested	item as a separate co	ppy in Item 9.		action requested (S				
P1 - Improper preservation P2 - Improper packing P3 - Improper Marking P4 - Improper unitization			ceptable substitution (CREPANCIES) Remarks									
13. FUNDING AND ACCOUNTING DATA					-							
14a TYPED OR PRINTED NAME, TITLE, AND PHONE	NUMBER OF PREPA	RING OFFICE	AL		14b. SIGNATURE	•						
15. DISTRIBUTION ADDRESSEES FOR COPIES					1							
364-103 7540-00-159-4442			(Previous edit	ion is ob	solete)				D FORM 364 (cribed by GSA			

Appendix (B)

16. FROM:			17. DISTRIBUTION ADDRESSEES FOR DISTRIBUTION					
18. TO:								
1				th si the	Use window env uis document. In address, includit tarting one typin left dot. Each a NOT extend beyon tress must not ex- space typing	sert Name and ng ZIP Code, g space below ddress line must ond right dot. sceed four single		
19.	IN ACCORDANCE	E WITH NOTICE OF I	ISCREPA	NCY ON FACE (
e MATERIAL HAS BEEN BEEN SHIPPED	DOCUMENT NUMBER			NO RECORD OF SHIP O PROPER OFFICE U	MENT. RESUBMIT			
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A	CREDIT	DEBIT		NVOICE/BILL ATTACHED		OOF OF IVERY		
f	HIS REPORTED DISCREP	ANCY WILL NOT BE PROC	ESSED FOR T	HE FOLLOWING REA	ASON WHICH IS CIT	TED IN		
(1) REASON FOR NOT PROCESS	ING		(2)	P	RESCRIBING REGU	LATION		
(a) DISCREPANCY WAS NOT REPORTE	D WITHIN THE TIME FRA	(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS (FFMR 101.26.8)						
(b) DOLLAR VALUE DOES NOT MEET THE OR AGREEMENT INDICATED IN 1916		D IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000.25.7.M, MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DO 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE					
20.	THE FOLL	OWING DISPOSITION IS TO	BE MADE O	F THE REFERENCED	MATERIAL	Thire		
PROCESS FOR DISPOSAL IN ACCORD SERVICE/AGENCY DIRECTIVES	DANCE WITH	b. REPRESENTATIVE DISPOSITION	WILL CALL	FOR DISCUSSION CO	ONCERNING	DAYS		
c RETAIN MATERIAL AT NO CHARGE		d MATERIAL WILL	BÉ PICKED UI	P IN:		DATS		
e. SHIP MATERIAL Specify location)	DODARI D							
(I) GBL APPROPRIATION CHA (2) CHARGES COLLECT - VIA:		EXPRESS	[]	PARCEL POST		¢.		
(3) PARCEL POST LABEL ATT	ACHED	(4) FREIGHT PRE	PAID					
f. OTHER (Specify)								
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.		22 REPLACEMENT WILL BE MADE O		ACTORY MATERIAL E:		DATE		
23. REMARKS (Continue on separate sheet of pa	per if necessary).							
24a. TYPED OR PRINTED NAME AND PHONE PREPARING OFFICIAL	NUMBER OF	24b. SIGNATURE				24c. DATE		
				STANDAR	D FORM 364 BACK	(REV. 2-80)		

Appendix (B)

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Pagestra (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Istad in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	•	C. CATEGORY:	22460	XXX				
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR	TDP TM NO.	F. CONTRA					ļ
_	Firefinder Radar	System	<u> </u>							
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROU
A001		ogress, S		nagement Report		Monthyly Progre	•			
4. AUTHORITY (Data Acquisi	ition Document No.) MGMT-80227		5. CONTRACT REFEREN	ce Paragraph 4.3		BM.	SCOM ADS)	Alban	у	18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	18. FREQUENC	<u> </u>	12. DATE OF FIRST SUBMISSI	IN	14. DISTRIBUTION		•		
LT	REQUIRED	L	ITHLY					b. COPIES		
8. APP CODE	A	11. AS OF DAT	ΙΈ	13. DATE OF SUBSEQUENT SUBMISSION		a. ADORESSEE	Draft	Fir Heg	nal Repro	
16. REMARKS	1	L				BMADS Albany	1 0	1	О	
Contractor for	mat is autorized.									Įį
Block 4 - Tailo 10.3i, 10.3j, 1	or DI-MGMT-802 0.3k, and 10.3n.	27 as fol	lows: Delete	paragraphs 10.3g	, 10.3h,					
	reporting Period nitial submission									
	sequent submissio									
Distribution St	atement A: Appr	oved for	public release	, distribution is u	nlimited.					
									-	
				•					<u> </u>	!
] i
										<u> </u>
]
									-	
									<u> </u>	
1									ļ	
										<u> </u>
										.
										!
			·			15. TOTAL	- 0	1	0	1
G. PREPARED BY	4 ^		H. DATE	L. APPROVED B	Υ		J. DAT	E		\ \ \ \
(Lavids	Joursend		9/27/0	2 Har	ues -	Decing	9.2	> 2	(2)]
DD FORM 1423	-1, AUG 96 (EG)		Pi	REVIOUS EDITION MAY BE	USED.	Designed using Pe	Pagel rform Pro,	o‡ WHS/DIO	Page: R, Aug 96	S

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Heedquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be inverse that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently vaid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the

CONTRACT LINE IT	EM NO.	B. EXHIBIT	•	C. CATEGORY:		vvv			
OVOTCH!!TC!!			F A0877147		M M				
SYSTEM/ITEM AN/TPQ-46A	Firefinder Radar	System	E. CONTRACT/P	n #U.	F. CONTE	1AU I UK			
ATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITL	E			
D001	D!	roble I4-	m Incassis=	Danc-					
BOO1 AUTHORITY (Data Acquisiti		madie Ite	m Inspection 5. CONTRACT REFER	_	<u> </u>	6. REQUIRMS BEHOLOTO	00014	A 11	
	ILSS-80386		0,000,000	Paragraph 4.2		6. REQUIRMA RECORSY (BM	ADS)	Alban	y
	I. DIST STATEMENT REQUIRED	18, FREQUENC		12. DATE OF FIRST SUB	WISSIGN	14. DISTRIBUTION			
LT		AS 11, AS OF DAT	Required	13. DATE OF BUBSEQUE				b. COPIES	
PP CODE	Α	11, AS OF DA	IE	SUBMISSION	••	a. ADDRESSEE	Draft	Reg	nal Repro
REMARKS	<u> </u>	<u> </u>				BMADS Albany	+-0	1	0
ock 4 - Contr	actor format is a	uthorized	l,						
ock 10 - A se paired.	perate report sha	all be sub	mitted for ea	ch Firefinder R	adar Systei	n			
ock 12 & 13 mpleteion of	- Submit report b each Firefinder F	y Marin Radar Sys	e Corps Seria stem.	al Number 30 d	ays after				
olck 14 - Repo	orts Shall be prov	vded in h	ard copy for	m.			+		
stribution Sta	tement A: Appr	oved for	public releas	se, distribution	s		+		
пишиеа.									
									
							_	_,	
		•					+		
								<u></u>	
							_		<u> </u>
							_		
							+		
									
							+-		\vdash
							+		
								ļ	
									-
							+-		\vdash
							+		
						15. TOTAL	- 0	1	0
PREPARED BY	Joursend		H. DATE 9/27/	1. APPROV		Deary	J. DAT	E	
		-					T/ - 1	, ¬	_ 1 I

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington and Personal Per

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT C. CATEGORY:									
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR	TDPTM	F. CONTRA						.
	Firefinder Radar	System	E. CONTINUE (FIN	NO.	r. comin	KO I ON					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE						17. PRICE GROUP
C001	En	gineering	change Prop	nocal		Configuration Management					,
4, AUTHORITY (Data Acquis	J	51110011116	6. CONTRACT REFEREN		L						18. ESTIMATED
DI-0	CMAN-80639C			SOW 3.9		'	WAKCORSYS (BM)	ADS)	1 HOUL	,	TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSI	ON	14.	DISTRIBUTION				, İ
LT B. APP CODE	-	11. AS OF DA	Required	13. DATE OF SUBSEQUENT		-	a. ADDRESSEE	-	b. COPIES	nai	L
	A			SUBMISSION			B. ADDRESSEE	Draft	Reg	Repro	
16. REMARKS		. I		•		BMA	DS Albany	0	1	0	İ
	tractor format is a							- 			
Blocks 10 & 1	2 - ECPs shall be ffect the baseline of determined with	submitte	d for all proper	osed changes which	ch eviewed			<u> </u>			
and disposition	determined with	in 30 cal	endar days up	on receipt by the	VICWCU						įİ
	submitted to: mb				ш.	-			ļ		
Distribution St unlimitied.	atement A: Appr	rovea ior	public release	e, distribution is				<u> </u>			Į.
								+			
								 			<u>. !</u>
									ļ	ļ	: ' [
						-		- 	-		
								1			
							~	-			
								+			
								+-			
								 			
							*****				l i
								Ţ			
								+-			
								 			
						-		+-			İ
								+	1		
] ¦
								+		-	
						15. TOT/	u	. 0	1	0	
G. PREPARED BY			H. DATE	I. APPROVED I	ΙΥ			J. DAT		<u>. J</u> .	
Daniel	A Joursen	d	9/27/0)2 Stn.	1.11	10	time	0 -	> -	1	
DD FORM 1423			<u> </u>	REVIOUS EDITION MAY BE	LIGER	ν_{1}	any	Page (1/- 7	Pance] s
DD FUNM 1423	· I, AUG 30 (EG)		rı	UE AIONO EN IZON MAT DE	VĢED.		Designed using Per	r aye form Pro, 1	WHS/DIO	R, Aug 96	í

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Devis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be ewere their notwithstanding any other provision of law, no person shall be subject to any penalty for failing to complete close of reference of the Centractiff of the Centractiff No. Estat in Block E.

A. CONTRACT LINE	ITEM NO.	8. EXHIBIT	Ī	C. CATEGORY:		xxx	··································			<u> </u>
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR	TDP TM	F. CONTRA					1
	Firefinder Radar	System	E. CUBIKACI/PK	MU.	P. CUMINA	ici un				
1. DAYA ITEM NO.	2. TITLE OF DATA ITEM		ı		3. SUBTITLE					17. PRICE GROU
C002	Da	auget for	Deviation (R)	ED)		Configuration Ma	, i l			
4. AUTHORITY (Data Acquis		quest for	5. CONTRACT REFEREN						v -	18. ESTIMATED
	CMAN-80640C]	Paragraph 3.9		8. REQUIRMAR OF ORSYS (BM)	ADS)	Alban	· y	TOTAL PRIC
7. DD 250 REQ	8. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSI	N	14. DISTRIBUTION	7			, i l
LT 8. APP CODE	_	11, AS OF DA	Required	13. DATE OF SUBSEQUENT		a. ADDRESSEE		b. COPIES	nal	
	Α			SUBM(\$\$10N		a. Apartoset	Draft	Reg	Repro	, <u> </u>
18. REMARKS	<u></u>					BMADS Albany	0	1	0	į
Block 4 - Conf format.	tractor format is a	uthorized	d and shall be	submitted in .doc	or .pdf					
	2 - DEDe shall be	enhmitte	ed to obtain an	thorization to deli	VAT					
nonconforming	2 - RFDs shall be g material which o	loes not	meet the presc	ribed configuration	n					į
documentation										
RFDs will be a receipt by the	reviewed and disp government.	osition d	etermined with	nn 30 calendar da	ıys upon					
	submitted to: mb	matcome	configungumt	@matcom.usmc.n	nil.					İ
Distribution St	tatement A: Appr									
unlimitied.	11		•							
									-	
						M-100-100-100-100-1				ľ
							 		-	
									 	
}										li
							ļ			
									-	
									-	
							-		 	
							-	-	-	li
							+		 	
A BAFF			D 545		·	15. TOTAL	0	<u> </u>	0	li
G. PREPARED BY	A	0	H. DATE 9/27/6	I. APPROVED E			J. DAT	t		ļ
Wavid	1 Joursen	OL.	4/2//6	" Har	ШН	CUlting	9-2	7-2	دوه	
DD FORM 1423	-1, AUG 96 (EG)		PF	REVIOUS EDITION MAY BE		Designed using Per	Page	of WHS/DIO	Pages R. Aug 96	